

Part number:
T127648

Copyright

© 2013, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

August 17, 2013, 07:16 AM

Corporate Headquarters

FLIR Systems, Inc.
27700 SW Parkway Ave.
Wilsonville, OR 97070
USA
Telephone: +1-503-498-3547

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Legal disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply.

Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.



General description

Compared to FLIR Tools, FLIR Tools+ has the following features:

- Radiometric sequence recording
- Playback of recordings

FLIR Tools/Tools+ is a software suite specifically designed to provide an easy way to update your camera and create inspection reports.

FLIR Tools+ main features:

- Radiometric panorama with MSX images.
- Advanced word reports.
- Manual grouping/ungrouping of images.
- Report templates (horizontal IR + DC, vertical IR + DC, horizontal IR + IR).
- Import images from your camera to your computer.
- Apply filters when searching for images.
- Search in all texts in images and text annotations.
- Store the five latest search criterias.
- Lay out, move, and resize measurement tools on any infrared image.
- Create PDF imagesheets of any images of your choice.
- Add headers, footers, and logos to the imagesheets.
- Create PDF reports of any images of your choice.
- Add headers, footers, and logotypes to the report.
- Report editor (report page preview and snap to grid).
- Sort function (by date, groups sorted by by path and groups sorted by date)
- Browse and purchase infrared cameras, software, and accessories in our webshop.
- Software localized to 21 languages.
- Camera update (applies to FLIR Exx, T4xx and T6xx series only).

Download

Download your copy of FLIR Tools+ here:

<http://support.flir.com/toolsplus>

Release notes

Version

FLIR Tools+ 3.1

Distributed by:



testoon.COM
The measurement website

99, rue Beranger
92320 Chatillon - France
Tel : +33 (0)1 71 16 17 00
Fax : +33 (0)1 71 16 17 03
www.testoon.com

P/N: T127648

© 2013, FLIR Systems, Inc.
All rights reserved worldwide.

Release notes

New features

- --- News in 3.1: ---
- Support for Flir K series cameras.
- Interactive quick start guide when connecting a Flir K series camera.
- Live image streaming from Flir K series cameras.
- PC-side configuration of Flir K series cameras.
- New report templates for DC images only added.
- Various bug fixes.
- --- News in 3.0: ---
- Radiometric panorama with MSX images.
- Advanced reports.
- Manual grouping/ungrouping of images.
- Various bug fixes.
- --- News in 2.2: ---
- Radiometric sequence recording
- Playback of recordings
- --- News in 2.1: ---
- New text comment template tab (Create, edit and transfer templates to and from any FLIR camera. Import and export templates.)
- Support for MSX (Multi-Spectral Dynamic Imaging) images.
- Support for sketch images in both IR and visual with on/off toggling.
- Support for same FOV ("Field of View Match").
- Display of compass information in edit and report mode.
- Display of GPS information in edit and in report mode (Direct link to Google Maps for GPS-tagged images from the report).
- Support for FLIR A3x5 and A6x5.
- Camera tab (Logging feature. Colorized status of camera availability).
- An updated toolbar in the edit window.
- Support for FLIR T4xx camera models when updating the camera.
- Various bug fixes.

Shipping information

- FLIR Tools+ scratchcard

System requirements

Operating system

- Windows XP, 32-bit
- Windows Vista, 32-bit
- Windows 7, 32-bit
- Windows 7, 64-bit
- Windows 8, 32-bit
- Windows 8, 64-bit

Compatible with the following products

- 40402-3001 FLIR P660 12°
- 40402-3002 FLIR P660 24°
- 40402-3003 FLIR P660 45°
- 40402-3101 FLIR P640 12°
- 40402-3102 FLIR P640 24°
- 40402-3103 FLIR P640 45°
- 40402-3202 FLIR P630 24°
- 40402-3302 FLIR P635 24°
- 40402-3402 FLIR P620 24°
- 40402-3403 FLIR P620 45°
- 40402-3801 FLIR B660 12°
- 40402-3802 FLIR B660 24°
- 40402-3803 FLIR B660 45°
- 40402-3902 FLIR B620 24°
- 40402-3903 FLIR B620 45°
- 40402-3501 FLIR SC660 12°
- 40402-3502 FLIR SC660 24°
- 40402-3503 FLIR SC660 45°
- 40402-3601 FLIR SC640 12°
- 40402-3602 FLIR SC640 24°
- 40402-3603 FLIR SC640 45°
- 40402-3702 FLIR SC620 24°
- 40402-3703 FLIR SC620 45°
- 55901-3111 FLIR T600 15°
- 55901-2101 FLIR T600 15° (incl. Wi-Fi)
- 55901-3112 FLIR T600 25°
- 55901-2102 FLIR T600 25° (incl. Wi-Fi)
- 55901-3113 FLIR T600 45°
- 55901-2103 FLIR T600 45° (incl. Wi-Fi)
- 55901-4211 FLIR T600bx 15°
- 55901-4101 FLIR T600bx 15° (incl. Wi-Fi)
- 55901-4212 FLIR T600bx 25°
- 55901-4102 FLIR T600bx 25° (incl. Wi-Fi)

P/N: T127648

© 2013, FLIR Systems, Inc.
All rights reserved worldwide.

Compatible with the following products

- 55901-4213 FLIR T600bx 45°
- 55901-4103 FLIR T600bx 45° (incl. Wi-Fi)
- 55901-3211 FLIR T610 15°
- 55901-2201 FLIR T610 15° (incl. Wi-Fi)
- 55901-3212 FLIR T610 25°
- 55901-2202 FLIR T610 25° (incl. Wi-Fi)
- 55901-3213 FLIR T610 45°
- 55901-2203 FLIR T610 45° (incl. Wi-Fi)
- 55901-3311 FLIR T620 15°
- 55901-2301 FLIR T620 15° (incl. Wi-Fi)
- 55901-3312 FLIR T620 25°
- 55901-2302 FLIR T620 25° (incl. Wi-Fi)
- 55901-3313 FLIR T620 45°
- 55901-2303 FLIR T620 45° (incl. Wi-Fi)
- 55901-4411 FLIR T620bx 15°
- 55901-4301 FLIR T620bx 15° (incl. Wi-Fi)
- 55901-4412 FLIR T620bx 25°
- 55901-4302 FLIR T620bx 25° (incl. Wi-Fi)
- 55901-4413 FLIR T620bx 45°
- 55901-4303 FLIR T620bx 45° (incl. Wi-Fi)
- 55902-3411 FLIR T630 15°
- 55902-2401 FLIR T630 15° (incl. Wi-Fi)
- 55902-3412 FLIR T630 25°
- 55902-2402 FLIR T630 25° (incl. Wi-Fi)
- 55902-3413 FLIR T630 45°
- 55902-2403 FLIR T630 45° (incl. Wi-Fi)
- 55902-3511 FLIR T640 15°
- 55902-2501 FLIR T640 15° (incl. Wi-Fi)
- 55902-3512 FLIR T640 25°
- 55902-2502 FLIR T640 25° (incl. Wi-Fi)
- 55902-3513 FLIR T640 45°
- 55902-2503 FLIR T640 45° (incl. Wi-Fi)
- 55902-4611 FLIR T640bx 15°
- 55902-4501 FLIR T640bx 15° (incl. Wi-Fi)
- 55902-4612 FLIR T640bx 25°
- 55902-4502 FLIR T640bx 25° (incl. Wi-Fi)
- 55902-4613 FLIR T640bx 45°
- 55902-4503 FLIR T640bx 45° (incl. Wi-Fi)
- 55901-3611 FLIR T650sc 15°
- 55901-2601 FLIR T650sc 15° (incl. Wi-Fi)
- 55901-3612 FLIR T650sc 25°
- 55901-2602 FLIR T650sc 25° (incl. Wi-Fi)
- 55901-3613 FLIR T650sc 45°
- 55901-2603 FLIR T650sc 45° (incl. Wi-Fi)
- 55902-2701 FLIR T650sc 15° (incl. Wi-Fi) with viewfinder
- 55902-2702 FLIR T650sc 25° (incl. Wi-Fi) with viewfinder
- 55902-2703 FLIR T650sc 45° (incl. Wi-Fi) with viewfinder
- 62101-0202 FLIR T420 25°
- 62101-0101 FLIR T420 25° (incl. Wi-Fi)
- 62101-0602 FLIR T420bx 25°
- 62101-0501 FLIR T420bx 25° (incl. Wi-Fi)
- 62101-0402 FLIR T440 25°
- 62101-0301 FLIR T440 25° (incl. Wi-Fi)
- 62101-0802 FLIR T440bx 25°
- 62101-0701 FLIR T440bx 25° (incl. Wi-Fi)
- 62102-1004 FLIR T450sc 25°
- 62102-0903 FLIR T450sc 25° (incl. Wi-Fi)
- 62613-0101 FLIR A65 f=13 mm
- 62625-0101 FLIR A65 f=25 mm
- 62513-0101 FLIR A65 f=13 mm (9 Hz)
- 62525-0101 FLIR A65 f=25 mm (9 Hz)
- 63209-0101 FLIR A35 f=9 mm
- 63219-0101 FLIR A35 f=19 mm
- 63209-0102 FLIR A35 f=9 mm with SC kit
- 62309-0101 FLIR A15 f=9 mm
- 62319-0101 FLIR A15 f=19 mm
- 62309-0102 FLIR A15 f=9 mm with SC kit
- 62205-0101 FLIR A5 f=5 mm
- 62209-0101 FLIR A5 f=9 mm
- 62205-0102 FLIR A5 f=5 mm with SC kit
- 48201-1001 FLIR A300
- 42701-1001 FLIR A300 (9 Hz)
- 48201-1101 FLIR A310
- 42701-1101 FLIR A310 (9 Hz)
- 48001-1101 FLIR A315
- 42901-1101 FLIR A315 (9 Hz)
- 48201-1201 FLIR A320 Tempscreen
- 42701-1201 FLIR A320 Tempscreen (9 Hz)
- 42901-1001 FLIR A305sc
- 48001-1001 FLIR A325sc
- 61201-1003 FLIR A300f 25°
- 61201-1004 FLIR A300f 45°
- 61201-1102 FLIR A310f 15°
- 61201-1103 FLIR A310f 25°
- 61201-1104 FLIR A310f 45°
- 61201-1101 FLIR A310f 6°
- 61201-1105 FLIR A310f 90°
- 61201-1203 FLIR A315f 25°

P/N: T127648

© 2013, FLIR Systems, Inc.
All rights reserved worldwide.

Compatible with the following products

- 61201-1204 FLIR A315f 45°
- 61201-1205 FLIR A315f 90°
- 55001-0104 FLIR A615 7°
- 55001-0101 FLIR A615 15°
- 55001-0102 FLIR A615 25°
- 55001-0103 FLIR A615 45°
- 55001-0105 FLIR A615 windowing 80°
- 55001-0204 FLIR A645sc 7°
- 55001-0201 FLIR A645sc 15°
- 55001-0202 FLIR A645sc 25°
- 55001-0203 FLIR A645sc 45°
- 55001-0205 FLIR A645sc 80°
- 55001-0304 FLIR A655sc 7°
- 55001-0301 FLIR A655sc 15°
- 55001-0302 FLIR A655sc 25°
- 55001-0303 FLIR A655sc 45°
- 55001-0305 FLIR A655sc 80°
- 59601-0101 FLIR GF304 14.5°
- 59602-0101 FLIR GF304 14.5° Fixed lens
- 59601-0102 FLIR GF304 24°
- 59602-0102 FLIR GF304 24° Fixed lens
- 44201-0101 FLIR GF306 14.5°
- 44202-0101 FLIR GF306 14.5° Fixed lens
- 44201-0102 FLIR GF306 24°
- 44202-0102 FLIR GF306 24° Fixed lens
- 44601-0101 FLIR GF309 14.5°
- 44602-0101 FLIR GF309 14.5° Fixed lens
- 44601-0102 FLIR GF309 24°
- 44602-0102 FLIR GF309 24° Fixed lens
- 44401-0101 FLIR GF320 14.5°
- 44402-0101 FLIR GF320 14.5° Fixed lens
- 44401-0102 FLIR GF320 24°
- 44402-0102 FLIR GF320 24° Fixed lens
- 57501-0102 FLIR GF335 24°
- 59801-0101 FLIR GF346 14.5°
- 59802-0101 FLIR GF346 14.5° Fixed lens
- 59801-0102 FLIR GF346 24°
- 59802-0102 FLIR GF346 24° Fixed lens
- 49001-1801 FLIR E30
- 49001-1901 FLIR E30bx
- 49001-0101 FLIR E33
- 49001-2201 FLIR E40
- 49001-2001 FLIR E40 (incl. Wi-Fi)
- 49001-2401 FLIR E40bx (incl. Wi-Fi)
- 49001-2301 FLIR E50
- 49001-2101 FLIR E50 (incl. Wi-Fi)
- 49001-2501 FLIR E50bx (incl. Wi-Fi)
- 49001-1602 FLIR E60
- 49001-0602 FLIR E60 (incl. Wi-Fi)
- 49001-1002 FLIR E60bx (incl. Wi-Fi)
- 49001-2602 FLIR E63 (incl. Wi-Fi)
- 49001-0201 FLIR E65

Distributed by:



testoon.com
The measurement website

99, rue Beranger
92320 Chatillon - France
Tel : +33 (0)1 71 16 17 00
Fax : +33 (0)1 71 16 17 03
www.testoon.com